

U.S. TAPE
WORLD CLASS TOOLS SINCE 1876

DuraWheel™
COMMERCIAL DUTY

DuraMark

Stringliner®

PRO TAPE



**Product Catalog
2021**

ABOUT U.S. TAPE COMPANY



Founded by surveyor Justus Roe in 1876, U.S. Tape has innovated, designed and manufactured tape measures for over 140 years. Many of the printing press and product designs he developed and influenced are still industry benchmarks today.

U.S. Tape Company remains focused on the measurement tools at our core and, while expanding globally, we continue to proudly manufacture Spencer logging tapes, US Tape Oil gauge tapes, ProTape bench tapes, long tapes and selected short tape measures in our facility in Pennsburg, PA.

As a tape measure supplier to the U.S. Government Supply Administration (GSA), our products are built for accuracy and durability. Our oil gauging tapes exceed the standards set by the American Society of Testing and Materials (ASTM) and the American Petroleum Institute (API).

Following in the footsteps of Justus and his never-ending desire to improve on the status quo - US Tape has concentrated on adding products to our portfolio that help industrial and residential companies meet the shifting demands of today's construction, maintenance and manufacturing markets. We are proud to offer Stringliner brand mason's twine with its patented handle and world class strength, Durawheel measuring wheels with best in class durability backed by a lifetime counter warranty, DuraMark chalk reels and marking chalk, Rhino fiberglass folding rulers, Striker dead blow hammers and most recently Occidental professional leather tool pouches made to order in our Santa Rosa, California facility.

A lot has changed since the US Tape Company was founded in 1876 but our dedication and passion around our customers and providing world class tools for professional users remains at the core of everything we do.

At U.S. Tape Company we understand that our lasting success starts and ends with our customer.

Please feel free to e-mail us at info@ustape.com or call us at 215-541-1850 with any questions you may have. We look forward to working with you.

TABLE OF CONTENTS

<i>Item</i>	<i>Page</i>	<i>Item</i>	<i>Page</i>
DURAWHEEL MEASURING WHEELS	4-5	STRINGLINER PRO REELS	22
DURAMARK CHALK & REELS	6-7	STRINGLINER CONTRACTOR PACKS	23
OPEN REEL LONG TAPES	8	STRINGLINER COUNTER DISPLAYS	23
3X OPEN REEL LONG TAPES	9	STRINGLINER INFO	24
AUTOREWIND LONG TAPES	10	STRINGLINER REFILL ROLLS	25
CLOSED REEL LONG TAPES	11	STRINGLINER LEVEL WIZ	26
M1 SERIES SHORT TAPES	12	STRINGLINER ACCESSORIES	26
X SERIES SHORT TAPES	13	STRINGLINER ORIGINAL REELS	27
G SERIES SHORT TAPES	14	OIL GAUGE INFO	28
XR SERIES SHORT TAPES	15	OIL GAUGE TAPES & REFILLS	29-30
CENTERPOINT TAPE & RULERS	16	CHROME PLATED	29
MAGTITE	16	DOUBLE DUTY	29
MADE IN USA SHORT TAPES	17	BLACK ETCHED	30
RHINO FOLDING RULERS	18	ETCHED STAINLESS STEEL	30
BENCH TAPES	19	GAUGING TAPE KITS	30
DEADBLOW HAMMERS	20	DERRICK & STRAPPING TAPES	31
TAPE WIZ & BARRICADE TAPE	21	PLUMB BOBS & ACCESSORIES	31
CORDWIZ	21		

DW-500 6" diameter wheel
Normally used for shorter distances and smoother surfaces.

- Tri-fold handle

DW-1000 12.5" diameter wheel
Ideal for long distances over rough surfaces.

- Strong oval tube design
- Wide stance folding kick stand
- Heavy duty chassis
- Debris scraper



- Measures to 9,999 feet
- Pistol grip handle
- Balanced in-line design
- Sealed roller bearings
- Belt driven counter for long life and smooth operation
- 25% Larger counter numbers than previous models
- Hi-traction tire
- Folds for easy carrying and storage

MEASURING WHEELS



DURAWHEEL WHEELS, and CASES


Item #	Size	Description	Scale	Inner Pack	Master Pack
68900	12.5" dia. wheel	DW-PRO measuring wheel WITH case	Ft/10ths	1	5
68901	12.5" dia. wheel	DW-PRO measuring wheel NO case	Ft/10ths	1	5
68902	12.5" dia. wheel	DW-PRO measuring wheel WITH case	m/cm	1	5
68903	12.5" dia. wheel	DW-PRO measuring wheel NO case	m/cm	1	5
68940	12.5" dia. wheel	DIGI-PRO Digital measuring wheel WITH case	See page 5	1	5
68910	12.5" dia. wheel	DW-1000 measuring wheel	Ft/10ths	1	5
68912	12.5" dia. wheel	DW-1000 measuring wheel	m/cm	1	5
68920	6" dia. wheel	DW-500 measuring wheel	Ft/10ths	1	10
68922	6" dia. wheel	DW-500 measuring wheel	m/cm	1	10
68930	N/A	Carrying Case for DW-PRO and DW-1000	N/A	1	N/A
68932	N/A	Carrying Case for DW-500	N/A	1	N/A

TAKE A CLOSER LOOK AT THE DW-PRO & DIGI-PRO



Don't be fooled by Cheap Imitations


DuraWheel is the only Pro Grade Measuring Wheel that features:



Ultra-Durable Oval Shaft



Larger - Easy to Read Display



Belt-Driven Accuracy

Sealed Roller Bearings

Long Lasting High Traction Tire

DW-PRO

Has all the features of the DW-1000 and more:

- Trigger operated brake
- Grip mounted counter-reset control along with reset button near counter

DIGI-PRO

- Converts measurements to:

Feet
Feet/Inches
Feet/Tenths
Meters
Meters/Centimeters
Meters/Decimeters
Yards
Yards/Inches

- Reset button on counter can scroll through units of measure
- Trigger operated brake
- Comes complete with carrying case (Uses 2 AA batteries, not included)



- Folds for Easy Carry & Storage
- Comfortable Handle

MEASURING WHEELS

DuraMark offers a full spectrum line of premium chalk colors as well as a variety of permanence rated options to fit your marking needs. We have modified our chalk formulas and sourced the best pigments to make sure that the lines you strike stay where you put them, for as long as you want them to stay.

- Premium chalk in brilliant colors
- Formulated to give you a precise, strong, lasting line
- All bottles feature easy pour spouts
- Standard colors for every job including highly visible fluorescent orange and green
- Permanent chalk available in blue, red, and black



CHALK

Permanence	Standard	Standard - Hi Visibility	Semi-Permanent	Ultra-Permanent
Colors Available	White	Yellow Fluorescent Orange Fluorescent Green	Blue Red Black	Blue Red Black
Permanence Rating	1	2	3	4 → 5
Durability	Short / Temporary	Medium	Long Term	Permanent
Applications	Interior Layout Trim Roofing Siding Paint Stripping	Plumbing Electrical Utilities Corrections Masonry	Framing Decking Exterior Layout Concrete Moderate Weather Exposure	Concrete Utilities Framing Exterior Layout Extreme Weather Exposure



MagnumPro

- Compact design with comfort rubber grip handle
- Holds over 10 oz. of marking chalk
- Easy to open slide for simple fill
- Steel crank assembly; fast rewind
- 165' braided cotton string with large round ring for easy pull and set



Stoplevel Combo

- Comfort rubber grip handle
- Fast rewind
- 100' braided poly/cotton line
- Packaged with 8 oz. blue chalk



Lil' Magnum

- Compact design holds 7 oz. of chalk
- Steel crank assembly; fast rewind
- 100' braided cotton line with large round ring for easy pull and set



Aluminum or Plastic Case Fast Rewind Reels

- 3:1 gear ratio
- Rubber plug for easy fill
- 100' line

Replacement Line



CHALK

Item #	Size	Description	Level	Classification	Inner Pack	Master Pack
76108	8 oz. bottle	Blue chalk	3	Semi-Permanent	6	6
76208	8 oz. bottle	Red chalk	3	Semi-Permanent	6	6
76308	8 oz. bottle	Yellow chalk	2	Standard-High Viz	6	6
76408	8 oz. bottle	White chalk	1	Standard	6	6
76508	8 oz. bottle	Black chalk	3	Semi-Permanent	6	6
76608	8 oz. bottle	Fluorescent Orange chalk	2	Standard-High Viz	6	6
76708	8 oz. bottle	Fluorescent Green chalk	2	Standard-High Viz	6	6
78108	8 oz. bottle	Permanent Blue chalk	4-5	Ultra-Permanent	6	6
78208	8 oz. bottle	Permanent Red chalk	4-5	Ultra-Permanent	6	6
78508	8 oz. bottle	Permanent Black chalk	4-5	Ultra-Permanent	6	6
76132	32 oz. bottle	Blue chalk	3	Semi-Permanent	6	6
76232	32 oz. bottle	Red chalk	3	Semi-Permanent	6	6
76332	32 oz. bottle	Yellow chalk	2	Standard-High Viz	6	6
76432	32 oz. bottle	White chalk	1	Standard	6	6
76532	32 oz. bottle	Black chalk	3	Semi-Permanent	6	6
76632	32 oz. bottle	Fluorescent Orange chalk	2	Standard-High Viz	6	6
76732	32 oz. bottle	Fluorescent Green chalk	2	Standard-High Viz	6	6
78132	32 oz. bottle	Permanent Blue chalk	4-5	Ultra-Permanent	6	6
78232	32 oz. bottle	Permanent Red chalk	4-5	Ultra-Permanent	6	6
78532	32 oz. bottle	Permanent Black chalk	4-5	Ultra-Permanent	6	6
76180	5 lb. bottle	Blue chalk	3	Semi-Permanent	1	8
76280	5 lb. bottle	Red chalk	3	Semi-Permanent	1	8
76380	5 lb. bottle	Yellow chalk	2	Standard-High Viz	1	8
76480	5 lb. bottle	White chalk	1	Standard	1	8
76580	5 lb. bottle	Black chalk	3	Semi-Permanent	1	8
76680	5 lb. bottle	Fluorescent Orange chalk	2	Standard-High Viz	1	8
76780	5 lb. bottle	Fluorescent Green chalk	2	Standard-High Viz	1	8
78180	5 lb. bottle	Permanent Blue chalk	4-5	Ultra-Permanent	1	8
78280	5 lb. bottle	Permanent Red chalk	4-5	Ultra-Permanent	1	8
78580	5 lb. bottle	Permanent Black chalk	4-5	Ultra-Permanent	1	8

CHALK

CHALK REELS AND LINES

Item #	Description	Inner Pack	Master Pack
75300	MagnumPro 165' reel; <i>holds over 10 oz. of chalk</i>	1	12
75302	MagnumPro Contractor Pack: MagnumPro with (3) 5 lb. Blue chalks	1	1
75303	MagnumPro Contractor Pack: MagnumPro with (3) 5 lb. Red chalks	1	1
75200	Lil' Magnum 100' reel; <i>holds 7 oz. of chalk</i>	1	12
75400	Aluminum chalk box 100'; <i>Orange case with rubber grip; braided line</i>	12	12
75450	ABS plastic chalk box 100'; <i>Orange case; twisted line</i>	12	12
75508	Stopleveline Pack: 100' Stopleveline reel with 8 oz. Blue chalk	6	6
77100	165' Refill line for MagnumPro; <i>2.5mm braided cotton line on reel with crank and ring</i>	1	1
77300	100' Refill line for Lil' Magnum; <i>2mm braided cotton line on reel with crank and ring</i>	1	1
77400	100' Refill line; <i>1.5mm braided poly/cotton line</i>	5	5
77500	100' Refill line; <i>1mm twisted cotton line</i>	5	5



- Contoured comfort grip handle
- Tough ABS plastic case
- Large crank handle to speed retraction
- Extra large stake for secure measuring
- Folding engineers hook

- Heavy duty nylon coated steel blade for superior abrasion resistance
- Steel blade resists stretching for more accurate measurements

- Flexible, waterproof, corrosion resistant fiberglass blade
- Non-conductive PVC coating



English blade



English/Metric blade



Engineer's blade



English/Metric blade



English blade



Engineer's blade

LONG TAPES

Nylon Clad Steel Blade - Standard blade rewind speed

Item #	Description	Blade Color	Print Scale	Lock	Inner Pack	Master Pack
59927	1/2" x 100' - English	Yellow	Ft/In/8ths	N/A	5	20
59928	1/2" x 200' - English	Yellow	Ft/In/8ths	N/A	5	10
59929	1/2" x 300' - English	Yellow	Ft/In/8ths	N/A	5	10
59932	1/2" x 100'/30m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	20
59933	1/2" x 200'/60m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	10
59934	1/2" x 300'/90m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	10
59936	1/2" x 100' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	20
59937	1/2" x 200' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	10
59938	1/2" x 300' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	10

Fiberglass Blade - Standard blade rewind speed

Item #	Description	Blade Color	Print Scale	Lock	Inner Pack	Master Pack
59962	1/2" x 100'/30m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	20
59963	1/2" x 200'/60m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	10
59964	1/2" x 300'/90m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	10
59965	1/2" x 100' - English	White	Ft/In/8ths	N/A	5	20
59966	1/2" x 200' - English	White	Ft/In/8ths	N/A	5	10
59967	1/2" x 300' - English	White	Ft/In/8ths	N/A	5	10
59972	1/2" x 100' - Engineers	White	Ft/10ths/100ths	N/A	5	20
59973	1/2" x 200' - Engineers	White	Ft/10ths/100ths	N/A	5	10
59974	1/2" x 300' - Engineers	White	Ft/10ths/100ths	N/A	5	10

3X OPEN REEL PROTAPES



- 3:1 Gear ratio for faster rewind
- Contoured comfort grip handle
- Tough ABS plastic case
- Large crank handle to speed retraction
- Extra large stake for secure measuring
- Folding engineers hook



- Heavy duty nylon coated steel blade for superior abrasion resistance
- Steel blade resists stretching for more accurate measurements


- Flexible, waterproof, corrosion resistant fiberglass blade
- Non-conductive PVC coating



English blade



English/Metric blade



Engineer's blade



English/Metric blade



English blade



Engineer's blade

LONG TAPES

Nylon Clad Steel Blade - 3x Faster blade rewind speed

Item #	Description	Blade Color	Print Scale	Lock	Inner Pack	Master Pack
59827	1/2" x 100' - English	Yellow	Ft/In/8ths	N/A	5	20
59828	1/2" x 200' - English	Yellow	Ft/In/8ths	N/A	5	10
59829	1/2" x 300' - English	Yellow	Ft/In/8ths	N/A	5	10
59832	1/2" x 100'/30m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	20
59833	1/2" x 200'/60m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	10
59834	1/2" x 300'/90m - English/Metric	Yellow	Ft/In/8ths/m/cm	N/A	5	10
59836	1/2" x 100' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	20
59837	1/2" x 200' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	10
59838	1/2" x 300' - Engineers	Yellow	Ft/10ths/100ths	N/A	5	10

Fiberglass Blade - 3x Faster blade rewind speed

Item #	Description	Blade Color	Print Scale	Lock	Inner Pack	Master Pack
59862	1/2" x 100'/30m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	20
59863	1/2" x 200'/60m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	10
59864	1/2" x 300'/90m - English/Metric	White	Ft/In/8ths/m/cm	N/A	5	10
59865	1/2" x 100' - English	White	Ft/In/8ths	N/A	5	20
59866	1/2" x 200' - English	White	Ft/In/8ths	N/A	5	10
59867	1/2" x 300' - English	White	Ft/In/8ths	N/A	5	10
59872	1/2" x 100' - Engineers	White	Ft/10ths/100ths	N/A	5	20
59873	1/2" x 200' - Engineers	White	Ft/10ths/100ths	N/A	5	10
59874	1/2" x 300' - Engineers	White	Ft/10ths/100ths	N/A	5	10


- Open reel design with gear drive
- Aircraft aluminum case
- Alloy steel main shaft
- Locking brake, folding engineer's hook, belt clip
- Active bumper to cushion blade tip on rewind
- **IMPROVED** Nylon Coated double side print blade
- Variety of blade styles and lengths
- Complete tapes and refill blades



Made in USA



Nylon coated blade



LONG TAPES

Complete Tapes - Made in USA with global components

Item #	Description	Print Scale	Lock	Endhook	Inner Pack	Master Pack
45622	3/8" x 50' Black case; Model 950B	Ft/In/8ths	Slide	Engineer's	1	12
47322	3/8" x 100' Black case; Model 900B	Ft/In/8ths	Slide	Engineer's	1	12
45422	3/8" x 50'/15m Black case; Model 950EMB	Ft/In/8ths/m/cm	Slide	Engineer's	1	12
45722	3/8" x 15m Black case; Model 950MEB	m/cm	Slide	Engineer's	1	12
47422	3/8" x 30m/Dia. Black case; Model 900MEDB	m/cm/Dia.	Slide	Engineer's	1	12
45322	3/8" x 50'/Dia. Black case; Model 950DCB	Ft/10ths/Dia.	Slide	Engineer's	1	12
47122	3/8" x 100'/Dia. Black case; Model 900DCB	Ft/10ths/Dia.	Slide	Engineer's	1	12
48400	3/8" x 50' Yellow plastic case; Model 50SXB	Ft/In/8ths	Slide	Engineer's	1	24

Refill Blades - Nylon coated

Item #	Description	Print Scale	Model #	Endhook	Inner Pack	Master Pack
45629	3/8" x 50' Refill for 45622 & 48400	Ft/In/8ths	965E	Engineer's	6	96
47329	3/8" x 100' Refill for 47322	Ft/In/8ths	905E	Engineer's	6	48
45429	3/8" x 50'/15m Refill for 45422	Ft/In/8ths/m/cm	965EME	Engineer's	6	96
45729	3/8" x 15m Refill for 45722	m/cm	965MEE	Engineer's	6	96
47429	3/8" x 30m/Dia. Refill for 47422	m/cm/Dia.	905MEDE	Engineer's	6	48
45329	3/8" x 50'/Dia. Refill for 45322	Ft/10ths/Dia.	965DCE	Engineer's	6	96
47129	3/8" x 100'/Dia. Refill for 47122	Ft/10ths/Dia.	905DCE	Engineer's	6	48

- Made in USA
- Folding end hook
- Hand-wind
- Yellow, Chrome, or White blades



Made in USA




BLACK VINYL COVERED STEEL CASE TAPES

Item #	Description	Blade Color	Print Scale	Lock	Inner Pack	Master Pack
58515	3/8" x 25'	Yellow	Ft/In/8ths	N/A	6	28
58519	3/8" x 50'	Yellow	Ft/In/8ths	N/A	6	28
58525	3/8" x 100'	Yellow	Ft/In/8ths	N/A	6	28
58549	3/8" x 50'/15m	Yellow	Ft/In/8ths/m/cm	N/A	6	28
58551	3/8" x 66'/20m	Yellow	Ft/In/8ths/m/cm	N/A	6	28
58555	3/8" x 100'/30m	Yellow	Ft/In/8ths/m/cm	N/A	6	28
58522	3/8" x 50'	Yellow	Ft/10ths	N/A	6	28
58530	3/8" x 100'	Yellow	Ft/10ths	N/A	6	28
68560	3/8" x 50'	Yellow	Ft/10ths/Dia.	N/A	6	28
58516	3/8" x 25'	Chrome	Ft/In/8ths	N/A	6	28
58521	3/8" x 50'	Chrome	Ft/In/8ths	N/A	6	28
58535	3/8" x 100'	Chrome	Ft/In/8ths	N/A	6	28
58520	3/8" x 50'	Chrome	Ft/10ths	N/A	6	28
58528	3/8" x 100'	Chrome	Ft/10ths	N/A	6	28
58550TC	3/8" x 50'/15m	White	Ft/10ths/m/cm	N/A	6	28
58556TC	3/8" x 100'/30m	White	Ft/10ths/m/cm	N/A	6	28

LONG TAPES



Made in USA



- Made in USA
- ABS plastic case
- Folding end hook
- Hand-wind

CONTRACTORS TAPES

Item #	Description	Case Color	Print Scale	Lock	Inner Pack	Master Pack
58620	3/8" x 50'	Yellow	Ft/In/8ths	N/A	6	28
58621	3/8" x 50'/15m	Yellow	Ft/In/8ths/m/cm	N/A	6	28
58630	3/8" x 100'	Yellow	Ft/In/8ths	N/A	6	28
58633	3/8" x 100'/30m	Yellow	Ft/In/8ths/m/cm	N/A	6	28
58619	3/8" x 50'	Black	Ft/In/8ths	N/A	6	28
58649	3/8" x 50'/15m	Black	Ft/In/8ths/m/cm	N/A	6	28
58625	3/8" x 100'	Black	Ft/In/8ths	N/A	6	28
58655	3/8" x 100'/30m	Black	Ft/In/8ths/m/cm	N/A	6	28

- Built-in 'Scribe' flips down for measuring and marking in one easy step
- Fractional-Read front side
- Vertical-Read back side
- Nylon coated blade for durability
- Strong push button lock
- Comfort rubber grip



Ingenious built-in measuring guides at the edges of the blade allow you to see your precise measurement

SHORT TAPES



Flip-down 'Scribe' allows you to measure and make your mark in one easy step. Depress the spring-loaded release button to close the scribe when not in use.

Hardened Scribe marks almost any surface for faster measuring and cutting - Brick/Masonry - Metal - Tile - Wood



Front side



Back side




Built-In Scribe




Nylon coated blade




9' Standout



Double-sided prong endhook



Vertical-Read back side



Fractional-Read front side

M1 SERIES Tapes


Item #	Description	Blade Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
51816	1" x 16' M1 Tape	Hi-Vis Yellow	Ft/In/Fractions	Push Button	Oversize/Grip	6	48
51825	1" x 25' M1 Tape	Hi-Vis Yellow	Ft/In/Fractions	Push Button	Oversize/Grip	6	48

CARPENTER'S MODEL

- Dual side printed blade
Ft/In/16ths front side
Vertical-Read back side
- Push button lock
- Oversize endhook 25' & 33'
- High Contrast black blade
- Magnetic endhook model available

ENGINEER'S MODEL

- Ft/10ths/100ths top edge
Ft/In/16ths bottom edge
- Push button lock
- Hi-Vis yellow blade



TRADESMAN'S MODEL

- Magnetic endhook

SHORT TAPES




High Contrast black blade




Vertical-Read back side



Nylon coated blade



8' Standout



Magnetic endhook model available



X SERIES Carpenter's Tapes


Item #	Description	Blade Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
51716	3/4" x 16' Carpenter's	Black	Ft/In/16ths	Push Button	Standard	6	48
51725	1" x 25' Carpenter's	Black	Ft/In/16ths	Push Button	Oversize	6	48
51733	1" x 33' Carpenter's	Black	Ft/In/16ths	Push Button	Oversize	6	48

X SERIES Specialty Tapes


Item #	Description	Blade Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
51625	1" x 25' Engineer's	Hi-Vis Yellow	Eng. - 10ths	Push Button	Standard	6	48
51726	1" x 25' Tradesman's	Black	Ft/In/16ths	Push Button	Magnetic	6	48

- Easy to read Fractional blade
- Comfortable rubber grip
- Compact case design
- Slide lock

SHORT TAPES



Fractional-Read blade



8' Standout




G SERIES Tapes - Fractional-Read

Item #	Description	Blade Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
51316	3/4" x 16' Fractional	Yellow	Ft/In/Fractions	Slide	Standard	6	48
51325	1" x 25' Fractional	Yellow	Ft/In/Fractions	Slide	Standard	6	48

- Compact design
- ABS plastic case
- Comfort rubber grips
- Matte finish on blade
- Large, multi-riveted end hook
- Positive lock
- Heavy duty spring
- Active bumper
- Specialty blade styles

Yellow case unless noted



SHORT TAPES

XR SERIES SPECIALTY TAPES

Item #	Description	Print Scale	Lock	Endhook	Inner Pack	Master Pack
50036	3/4" x 16' CenterPoint®	Center-Finding scale &	Slide	Standard	6	48
50035	1" x 25' CenterPoint®	Ft/In/16ths	Slide	Standard	6	48
52712	3/4" x 12' Carpenter's	Ft/In/16ths	Slide	Standard	6	48
52716	3/4" x 16' Carpenter's	Ft/In/16ths	Slide	Standard	6	48
52725	1" x 25' Carpenter's	Ft/In/16ths	Slide	Standard	6	48
52745	1" x 25' Carpenter's - Red case	Ft/In/16ths	Slide	Standard	6	48
52730	1" x 30' Carpenter's	Ft/In/16ths	Slide	Standard	6	48
52717	3/4" x 16'/5m English/Metric	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
52768	1" x 26'/8m English/Metric	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
52436	3/4" x 16' Brick Spacing	Ft/In/16ths/Brick	Slide	Standard	6	48
52446	3/4" x 16' CSR Brick Spacing	Ft/In/16ths/Large Brick	Slide	Standard	6	48
52466	3/4" x 16' Modular Spacing	Ft/In/16ths/Various Brick	Slide	Standard	6	48
52718	19mm x 3m Metric - Red case	m/cm/mm	Slide	Standard	6	48
52719	19mm x 5m Metric - Red case	m/cm/mm	Slide	Standard	6	48
52748	25mm x 8m Metric - Red case	m/cm/mm	Slide	Standard	6	48
53025	1" x 25' Engineer's	Ft/10ths/100ths & In/16ths	Slide	Standard	6	48

Simple Accurate Fast

Simplify common jobs such as layout (for floors, tile framing, and cabinets), hanging pictures, installing drawer pulls, or any job that requires dividing a measured distance.


Mark the exact center of your work every time and avoid costly mistakes.

Use this one simple tool for all your measuring needs.



CUSTOM LABEL AVAILABLE

Take your measurement using the top edge scale



Find that same number on the bottom edge scale.

This is the center!

- Patented Center-Finding scale on bottom edge
- All standard English markings on top edge
- Chrome/Red ABS plastic case
- Compact case design and slide lock

CENTERPOINT® CENTER-FINDING TAPE

Item #	Description	Blade Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
53825	1" x 25' CenterPoint®	Yellow	Ft/In/16ths/CtPt.	Slide	Standard	6	48

- Patented CenterPoint® scale
- .031 gauge tempered stainless steel
- Etched, black filled markings



STAINLESS STEEL CENTERPOINT® RULERS

Item #	Description	Print Scale	Inner Pack	Master Pack
50001	1" x 12" Stainless Steel Ruler	Ft/In/16ths & Patented CenterPoint® scale	10	N/A
50002	1" x 24" Stainless Steel Ruler	Ft/In/16ths & Patented CenterPoint® scale	10	N/A

- Grips steel studs, duct work or any steel surface
- Snaps easily into its belt clip holster
- Powerful 35 lb. magnetic force



MAGTITE TAPE MEASURE HOLSTER

Item #	Description	Inner Pack	Master Pack
59955	MagTite Tape Holster - Fits most 16', 25', & 30' Tapes; Strong Magnet	6	25

SHORT TAPES

MADE IN USA SHORT TAPES




CLASSIC Series Tapes

- Durable ABS plastic case
- Large numbers for easy reading
- Crafted for professionals



DIAMETER PRO


- Converts circumference to diameter
 - Double side printed blade
Feet/Inches/16ths on front
Diameter equivalents in 16ths
and 10ths on back
- (Not available for custom label)



Large numbers



Baked on blade coating



SHORT TAPES

USA MADE TAPES

Item #	Description	Case Color	Print Scale	Lock	Endhook	Inner Pack	Master Pack
56705	1/2" x 10'	Chrome	Ft/In/16ths	Slide	Standard	10	80
56735	1/2" x 10'/3m	Chrome	Ft/In/16ths/m/cm/mm	Slide	Standard	10	80
56707	1/2" x 12'	Chrome	Ft/In/16ths	Slide	Standard	10	80
56737	1/2" x 12'/3.5m	Chrome	Ft/In/16ths/m/cm/mm	Slide	Standard	10	80
56907	3/4" x 12'	Chrome	Ft/In/16ths	Slide	Standard	6	48
56937	3/4" x 12'/3.5m	Chrome	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
56908	3/4" x 12' (10ths)	Chrome	Ft/10ths/100ths & In/16ths	Slide	Standard	6	48
56909	3/4" x 16'	Chrome	Ft/In/16ths	Slide	Standard	6	48
56939	3/4" x 16'/5m	Chrome	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
57213	1" x 25'	Chrome	Ft/In/16ths (32nds to 1st Ft)	Slide	Standard	6	48
57243	1" x 26'/8m	Chrome	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
56605	1/2" x 10'	Black	Ft/In/16ths	Slide	Standard	10	80
56635	1/2" x 10'/3m	Black	Ft/In/16ths/m/cm/mm	Slide	Standard	10	80
56607	1/2" x 12'	Black	Ft/In/16ths	Slide	Standard	10	80
56637	1/2" x 12'/3.5m	Black	Ft/In/16ths/m/cm/mm	Slide	Standard	10	80
56807	3/4" x 12'	Black	Ft/In/16ths	Slide	Standard	6	48
56837	3/4" x 12'/3.5m	Black	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
56809	3/4" x 16'	Black	Ft/In/16ths	Slide	Standard	6	48
56839	3/4" x 16'/5m	Black	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
57113	1" x 25'	Black	Ft/In/16ths (32nds to 1st Ft)	Slide	Standard	6	48
57143	1" x 26'/8m	Black	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
57613	1" x 25'	Orange	Ft/In/16ths (32nds to 1st Ft)	Slide	Standard	6	48
57643	1" x 26'/8m	Orange	Ft/In/16ths/m/cm/mm	Slide	Standard	6	48
56675	3/8" x 12'/Dia. Diameter Pro	Black	Ft/In/16ths on front; Diameter in 16ths & 10ths on back	Slide	Loop	10	80

RHINO FIBERGLASS FOLDING RULERS




- Polyamide reinforced with 30% fiberglass
- Waterproof - will not warp or swell like wooden rulers
- Wear resistant and maintenance free
- Deeply embossed scales won't wear away under harsh working conditions
- Flexible and scratch resistant
- 90° positive stop joints



Made in Switzerland

SPECIALTY



RHINO FLEXIBLE FOLDING RULERS

Item #	Description	Print Scale	Inner Pack	Master Pack
55110	5/8" x 6' Brick Spacing	Brick Spacing front; Ft/In/16ths back	6	72
55115	5/8" x 6' Oversize Brick Spacing	Oversize Brick Sp. front; Ft/In/16ths back	6	72
55120	5/8" x 6' Modular Spacing	Modular Spacing front; Ft/In/16ths back	6	72
55125	5/8" x 6' Engineer's	Ft/10ths/100ths front; Ft/In/16ths back	6	72
55130	5/8" x 6' Engineer's/Metric	Ft/10ths/100ths front; m/cm/mm back	6	72
55140	5/8" x 6' Carpenter's Outside Read	Ft/In/16ths front and back	6	72
55145	5/8" x 6' Carpenter's Inside Read	Ft/In/16ths front and back	6	72
55155	5/8" x 6' English/Metric	Ft/In/16ths front; m/cm/mm back	6	72
55160	5/8" x 6' Carpenter's - Sliding Extension	Ft/In/16ths front and back	6	72
55170	15mm x 2m Euro Style Metric	m/cm/mm front; Ft/In/16ths back	6	72

BENCH TAPES

- Premium steel - .0075" thick
- Adhesive backed
- Can be trimmed to desired length
- Many blade styles and lengths now available



Made in USA
unless marked
with *



Reads LEFT to RIGHT →



← Reads RIGHT to LEFT

STEEL ADHESIVE BACKED BENCH TAPES

Item #	Size	Description	Blade Color	Scale	Inner Pack	Master Pack
50004	1/2" x 12'/3.6m	L-R; 32nds 1st Ft., then 16ths top, mm bottom	White	Eng/Met	10	N/A
50005	1/2" x 12'/3.6m	R-L; 32nds 1st Ft., then 16ths top, mm bottom	White	Eng/Met	10	N/A
50006	1/2" x 12'	L-R; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50007	1/2" x 12'	R-L; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50008	1/2" x 12'	L-R; CenterPoint scale bottom, 16ths top	White	Eng/CtPt	10	N/A
50009	1/2" x 6'	L-R; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50010	1/2" x 6'	R-L; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50011	3/4" x 25'	L-R / R-L; 32nds 1st Ft., then 16ths	Yellow	English	5	N/A
50012	3/4" x 8m	L-R; m/cm top, mm bottom	Yellow	Metric	5	N/A
50013 *	3/4" x 6'	L-R; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50014	3/4" x 6'/1.8m	L-R; 32nds 1st Ft., then 16ths top, mm bottom	White	Eng/Met	10	N/A
50019	1/2" x 4'	L-R; 32nds 1st Ft., then 16ths top & bottom	White	English	10	N/A
50020	1/2" x 4'/1.2m	L-R; 32nds 1st Ft., then 16ths top, mm bottom	White	Eng/Met	10	N/A
50021	1/2" x 3m	L-R; m/cm top, mm bottom	Yellow	Metric	10	N/A
50022	1/2" x 3m	R-L; m/cm top, mm bottom	Yellow	Metric	10	N/A
58500	3/8" x 25'	L-R; Continuous inches, 16ths bottom	Yellow	English	5	N/A
58501	3/8" x 50'	L-R; Continuous inches, 16ths bottom	Yellow	English	5	N/A
58502	3/8" x 25'	R-L; Continuous inches, 16ths bottom	Yellow	English	5	N/A
58503	3/8" x 50'	R-L; Continuous inches, 16ths bottom	Yellow	English	5	N/A
58504	3/8" x 8m	L-R; Continuous cm, repeat every m, mm bottom	Yellow	Metric	5	N/A
58505	3/8" x 15m	L-R; Continuous cm, repeat every m, mm bottom	Yellow	Metric	5	N/A
58506	3/8" x 25'	L-R; 8ths top and bottom	Yellow	English	5	N/A
58507	3/8" x 50'	L-R; 8ths top and bottom	Yellow	English	5	N/A
58508	3/8" x 100'	L-R; 8ths top and bottom	Yellow	English	5	N/A
58509	3/8" x 25'	R-L; 8ths top and bottom	Yellow	English	5	N/A
58510	3/8" x 50'	R-L; 8ths top and bottom	Yellow	English	5	N/A
58512	3/8" x 26'/8m	L-R; 8ths top, cm/mm bottom	Yellow	Eng/Met	5	N/A
58513	3/8" x 50'/15m	L-R; 8ths top, cm/mm bottom	Yellow	Eng/Met	5	N/A
59600 *	1/4" x 6'	L-R; 32nds 1st Ft., then 8ths top, 16ths bottom	Yellow	English	10	N/A
59604 *	1/4" x 10'	L-R; 32nds 1st Ft., then 8ths top, 16ths bottom	Yellow	English	10	N/A
59610 *	1/4" x 3m	L-R; cm/mm top and bottom	Yellow	Metric	10	N/A

SPECIALTY

- Soft face prevents marring of the work surface and reduces noise
- Sand-loaded head adds weight for:
 - Controlled impact
 - Minimized rebound
 - Low vibration
- Controlled swing allows for less fatigue with use
- Textured grip handle makes hammer easy to hold
- Common uses include woodworking, flooring, auto repair
- * Avoid using on nails or other sharp objects

SPECIALTY



DEAD BLOW HAMMERS

Item #	Size	Description	Color	Inner Pack	Master Pack
69002	1/2 lb.	Dead Blow Hammer	Black	4	24
69003	1 lb.	Dead Blow Hammer	Black	4	24
69004	1-1/2 lb.	Dead Blow Hammer	Black	4	24
69000	2 lb.	Dead Blow Hammer	Black	4	24
69005	3 lb.	Dead Blow Hammer	Black	4	24
69006	4 lb.	Dead Blow Hammer	Black	4	24

TAPEWIZ & CORDWIZ



- Dispenses barricade tape with ease
- Notch secures loose tape end
- Simple to reload
- Assorted models of barricade tape available



- TAPEWIZ**
- Holds 300 Ft. of 2-4 mil barricade tape
 - Easy roll change



- TAPEWIZ PRO**
- Holds 1000 Ft. of 2-4 mil barricade tape
 - Serrated edge cuts tape quickly



TAPEWIZ BARRICADE TAPE DISPENSER - Holds 300 Ft. of 2-4 mil. barricade tape

Item #	Length	Description	Master Pack	Item #	Length	Description	Master Pack
42000		TapeWiz Dispenser	48				
42010	300 Ft.	TapeWiz w/ Caution Tape	48	42012	300 Ft.	TapeWiz w/ Cuidado Tape	48

TAPEWIZ PRO BARRICADE TAPE DISPENSER - Holds 1000 Ft. of 2-4 mil. barricade tape

Item #	Length	Description	Master Pack	Item #	Length	Description	Master Pack
42003		TapeWiz Pro Dispenser	48				
42020	1000 Ft.	TapeWiz Pro w/ Caution Tape	12	42028	1000 Ft.	TapeWiz Pro w/ Sheriff Tape	12
42022	1000 Ft.	TapeWiz Pro w/ Police Tape	12	42037	1000 Ft.	TapeWiz Pro w/ Cuidado Tape	12
42027	1000 Ft.	TapeWiz Pro w/ Fire Line Tape	12	42025	1000 Ft.	TapeWiz Pro w/ Electric Line Buried Below Tape	12

BARRICADE TAPE

Item #	Length	Description	Master Pack	Item #	Length	Description	Master Pack
16930	300 Ft.	Caution (2 mil)	8	16942	1000 Ft.	Police (2 mil)	8
16930SF	300 Ft.	Caution - Fr (2 mil)	8	16944	1000 Ft.	Fire Line (2 mil)	8
16932	300 Ft.	Cuidado (2 mil)	8	16945	1000 Ft.	Sheriff Tape (2 mil)	8
16940	1000 Ft.	Caution (2 mil)	8	16947	1000 Ft.	Cuidado Tape (2 mil)	8
16940SF	1000 Ft.	Caution - Fr (2 mil)	8	16970	1000 Ft.	Electric Line Buried Below Tape (4 mil)	8



CORDWIZ

- Stand keeps cord off the ground
- Use both ends without unwinding the whole cord
- Eliminates cord mess



CORDWIZ PRO

- Easily wrap and dispense heavy cord
- Dispense cord automatically using rotating handles



CORDWIZ CLASSIC

- Dispense cord automatically using rotating handles
- Replaces flimsy H-winders

CORDWIZ EXTENSION CORD HOLDERS

Item #	Description	Master Pack
30000	CORDWIZ - Holds up to 100' of 14/3 AWG or 150' of 16/3 AWG cord (extension cord not included)	26
30100	CORDWIZ PRO - Holds up to 125' of 12/3 AWG or 150' of 14/3 AWG cord (extension cord not included)	16
30200	CORDWIZ CLASSIC - Holds up to 100' of 12/3 AWG or 125' of 14/3 AWG cord (extension cord not included)	18

SPECIALTY



STRINGLINER PRO REELS

- Patented line reel made of durable polyethylene
US Pat. No.: 7,121,498 Canadian Pat. No.: 2,198,678
- Various line lengths and colors
- Fits all 1" line cores from 4" - 6" long
- Line secures in convenient notch
- Reload rolls of line easily
- Rewind hand crank
(or automatic rewind using power screwdriver in slot in bottom of handle)
- * **Bonded line**



MASON LINE

PRO REELS

Item #	Length	Color	Description	Master Pack	Item #	Length	Color	Description	Master Pack
25000	135 Ft.	Gold	#18 Twisted	48	25100	270 Ft.	Gold	#18 Twisted	48
25006	135 Ft.	Fl. Orange	#18 Twisted	48	25103	270 Ft.	White	#18 Twisted	48
25009	135 Ft.	Fl. Pink	#18 Twisted	48	25106	270 Ft.	Fl. Orange	#18 Twisted	48
25012	135 Ft.	Fl. Yellow	#18 Twisted	48	25109	270 Ft.	Fl. Pink	#18 Twisted	48
25015	135 Ft.	Fl. Green	#18 Twisted	48	25112	270 Ft.	Fl. Yellow	#18 Twisted	48
25050	125 Ft.	Yellow	#18 Braided	48	25115	270 Ft.	Fl. Green	#18 Twisted	48
25053	125 Ft.	White	#18 Braided	48	25150	250 Ft.	Yellow	#18 Braided	48
25056	125 Ft.	Green	#18 Braided	48	25153	250 Ft.	White	#18 Braided	48
25059	125 Ft.	Fl. Orange	#18 Braided	48	25156	250 Ft.	Green	#18 Braided	48
25062	125 Ft.	Fl. Pink	#18 Braided	48	25159	250 Ft.	Fl. Orange	#18 Braided	48
25065	125 Ft.	Fl. Yellow	#18 Braided	48	25162	250 Ft.	Fl. Pink	#18 Braided	48
25068	125 Ft.	Fl. Green	#18 Braided	48	25165	250 Ft.	Fl. Yellow	#18 Braided	48
25090	125 Ft.	Black/White*	#18 Braided	48	25168	250 Ft.	Fl. Green	#18 Braided	48
					25190	250 Ft.	Black/White*	#18 Braided	48
25400	540 Ft.	Gold	#18 Twisted	48	25700	1080 Ft.	Gold	#18 Twisted	24
25403	540 Ft.	White	#18 Twisted	48	25703	1080 Ft.	White	#18 Twisted	24
25406	540 Ft.	Fl. Orange	#18 Twisted	48	25706	1080 Ft.	Fl. Orange	#18 Twisted	24
25409	540 Ft.	Fl. Pink	#18 Twisted	48	25709	1080 Ft.	Fl. Pink	#18 Twisted	24
25412	540 Ft.	Fl. Yellow	#18 Twisted	48	25712	1080 Ft.	Fl. Yellow	#18 Twisted	24
25415	540 Ft.	Fl. Green	#18 Twisted	48	25715	1080 Ft.	Fl. Green	#18 Twisted	24
25450	500 Ft.	Yellow	#18 Braided	48	25750	1000 Ft.	Yellow	#18 Braided	24
25453	500 Ft.	White	#18 Braided	48	25753	1000 Ft.	White	#18 Braided	24
25456	500 Ft.	Green	#18 Braided	48	25756	1000 Ft.	Green	#18 Braided	24
25459	500 Ft.	Fl. Orange	#18 Braided	48	25759	1000 Ft.	Fl. Orange	#18 Braided	24
25462	500 Ft.	Fl. Pink	#18 Braided	48	25762	1000 Ft.	Fl. Pink	#18 Braided	24
25465	500 Ft.	Fl. Yellow	#18 Braided	48	25765	1000 Ft.	Fl. Yellow	#18 Braided	24
25468	500 Ft.	Fl. Green	#18 Braided	48	25768	1000 Ft.	Fl. Green	#18 Braided	24
25490	500 Ft.	Black/White*	#18 Braided	48	25790	1000 Ft.	Black/White*	#18 Braided	24
25491	500 Ft.	Black/Orange*	#18 Braided	48	25791	1000 Ft.	Black/Orange*	#18 Braided	24
25492	500 Ft.	Black/Yellow*	#18 Braided	48	25792	1000 Ft.	Black/Yellow*	#18 Braided	24
25494	500 Ft.	Black/Fl. Yellow*	#18 Braided	48	25794	1000 Ft.	Black/Fl. Yellow*	#18 Braided	24

STRINGLINER PRO REEL CONTRACTOR PACKS



NEW!

Convenient and Economical!

- Contains:
 - 1 Patented refillable PRO line reel
 - 3 Rolls of 250' braided mason line
- Available in 3 different color options
 - Fl. Orange
 - Fl. Pink
 - Fl. Yellow



PRO REEL CONTRACTOR PACKS

Item #	Length	Color	Description	Master Pack
45159	750'	Fl. Orange	Stringliner PRO Reel with 3 - 250' rolls of braided masons line	16
45162	750'	Fl. Pink	Stringliner PRO Reel with 3 - 250' rolls of braided masons line	16
45165	750'	Fl. Yellow	Stringliner PRO Reel with 3 - 250' rolls of braided masons line	16

STRINGLINER PRO REEL COUNTER DISPLAYS

12 Stringliner PRO Reels in a sturdy Counter Display

- Available in these different options:
 - Twisted
 - Braided
 - Braided/Bonded



PRO REEL COUNTER DISPLAYS

Item #	Length	Description	Item #	Length	Description
25406D	540'	Twisted Fl. Orange PRO Reels x 12			Braided/Bonded
25412D	540'	Twisted Fl. Yellow PRO Reels x 12	25490D	500'	Black/White PRO Reels x 12
25462D	500'	Braided Fl. Pink PRO Reels x 12	25491D	500'	Black/Orange PRO Reels x 12
25468D	500'	Braided Fl. Green PRO Reels x 12			

MASON LINE



TWISTED vs. BRAIDED MASON LINE

Stringliner mason's twine comes in two varieties: Twisted or Braided. Both options are durable and will resist mildew. The one you choose depends on the project, environment, and cost considerations.



TWISTED

- Less expensive
- About 8% more line per roll than braided
- Useful for layout, masonry, general marking tasks



BRAIDED

- Won't unravel as easily when cut or reused
- More resistant to abrasion
- Doesn't spin as much when used with a plumb bob

BONDED BRAIDED MASON LINE

Stringliner offers an even more durable option of mason's line: *Bonded Braided*. Bonding is a process that coats the string to make it more resistant to wear, UV rays, and water.

We offer Bonded mason's line in #18 Nylon, and even thicker #27 Nylon. ALL Stringliner Black/White and Black/Mixed Color options are Bonded.

MASON LINE




Some additional benefits of Bonded line are:


- The line is thicker and stiffer than unbonded nylon line
- The ends of the line won't fray or unravel as much when cut
- Bonded line is easier to knot than regular twine

HOW TO REFILL PRO & LEVEL WIZ HANDLES


The patented handles of the PRO and Level Wiz reels are simple to reload and they will hold 1" line cores from 4" - 6" long.



1. Grasp the top and bottom "shoulders" of the reel handle and pull apart.



2. Slide a new roll of mason's line onto the spindle.



3. Firmly push the two pieces of the handle back together.

STRINGLINER MASON LINE REFILLS



- **Quality #18 Nylon Line** (tensile strength 165 lbs.)
- **Bright solid or mixed colors**
- **Twisted or Braided**
- **#27 Nylon Line** (tensile strength 216 lbs.)
- **Cotton line also available**
- * **Black/White, Black/Mixed Color, and #27 lines are Bonded** (coated for added durability, UV, water, and wear resistance)



NYLON LINE

Item #	Length	Color	Description	Master Pack	Item #	Length	Color	Description	Master Pack
35000	135 Ft.	Gold	#18 Twisted	48	35100	270 Ft.	Gold	#18 Twisted	48
35006	135 Ft.	Fl. Orange	#18 Twisted	48	35103	270 Ft.	White	#18 Twisted	48
35009	135 Ft.	Fl. Pink	#18 Twisted	48	35106	270 Ft.	Fl. Orange	#18 Twisted	48
35012	135 Ft.	Fl. Yellow	#18 Twisted	48	35109	270 Ft.	Fl. Pink	#18 Twisted	48
35015	135 Ft.	Fl. Green	#18 Twisted	48	35112	270 Ft.	Fl. Yellow	#18 Twisted	48
35050	125 Ft.	Yellow	#18 Braided	48	35115	270 Ft.	Fl. Green	#18 Twisted	48
35053	125 Ft.	White	#18 Braided	48	35150	250 Ft.	Yellow	#18 Braided	48
35056	125 Ft.	Green	#18 Braided	48	35153	250 Ft.	White	#18 Braided	48
35059	125 Ft.	Fl. Orange	#18 Braided	48	35156	250 Ft.	Green	#18 Braided	48
35062	125 Ft.	Fl. Pink	#18 Braided	48	35159	250 Ft.	Fl. Orange	#18 Braided	48
35065	125 Ft.	Fl. Yellow	#18 Braided	48	35162	250 Ft.	Fl. Pink	#18 Braided	48
35068	125 Ft.	Fl. Green	#18 Braided	48	35165	250 Ft.	Fl. Yellow	#18 Braided	48
35090	125 Ft.	Black/White*	#18 Braided	48	35168	250 Ft.	Fl. Green	#18 Braided	48
					35190	250 Ft.	Black/White*	#18 Braided	48
35400	540 Ft.	Gold	#18 Twisted	48	35700	1080 Ft.	Gold	#18 Twisted	24
35403	540 Ft.	White	#18 Twisted	48	35703	1080 Ft.	White	#18 Twisted	24
35406	540 Ft.	Fl. Orange	#18 Twisted	48	35706	1080 Ft.	Fl. Orange	#18 Twisted	24
35409	540 Ft.	Fl. Pink	#18 Twisted	48	35709	1080 Ft.	Fl. Pink	#18 Twisted	24
35412	540 Ft.	Fl. Yellow	#18 Twisted	48	35712	1080 Ft.	Fl. Yellow	#18 Twisted	24
35415	540 Ft.	Fl. Green	#18 Twisted	48	35715	1080 Ft.	Fl. Green	#18 Twisted	24
35450	500 Ft.	Yellow	#18 Braided	48	35750	1000 Ft.	Yellow	#18 Braided	24
35453	500 Ft.	White	#18 Braided	48	35753	1000 Ft.	White	#18 Braided	24
35456	500 Ft.	Green	#18 Braided	48	35756	1000 Ft.	Green	#18 Braided	24
35459	500 Ft.	Fl. Orange	#18 Braided	48	35759	1000 Ft.	Fl. Orange	#18 Braided	24
35462	500 Ft.	Fl. Pink	#18 Braided	48	35762	1000 Ft.	Fl. Pink	#18 Braided	24
35465	500 Ft.	Fl. Yellow	#18 Braided	48	35765	1000 Ft.	Fl. Yellow	#18 Braided	24
35468	500 Ft.	Fl. Green	#18 Braided	48	35768	1000 Ft.	Fl. Green	#18 Braided	24
35490	500 Ft.	Black/White*	#18 Braided	48	35790	1000 Ft.	Black/White*	#18 Braided	24
35491	500 Ft.	Black/Orange*	#18 Braided	48	35791	1000 Ft.	Black/Orange*	#18 Braided	24
35492	500 Ft.	Black/Yellow*	#18 Braided	48	35792	1000 Ft.	Black/Yellow*	#18 Braided	24
35494	500 Ft.	Black/Fl. Yellow*	#18 Braided	48	35794	1000 Ft.	Black/Fl. Yellow*	#18 Braided	24
35495	320 Ft.	Black/Yellow*	#27 Braided	48	35795	640 Ft.	Black/Yellow*	#27 Braided	24
35496	320 Ft.	Black/Orange*	#27 Braided	48	35796	640 Ft.	Black/Orange*	#27 Braided	24
					35797	640 Ft.	Black/Fl. Yellow*	#27 Braided	24

MASON LINE

COTTON LINE

Item #	Length	Color	Description	Master Pack	Item #	Length	Color	Description	Master Pack
12493	540 Ft.	White	Twisted	48	12793	1080 Ft.	White	Twisted	24



STRINGLINER LEVEL WIZ

- Stringliner PRO reloadable line reel with detachable precision line level
- Level stores right on the handle
- Patented line reel made of durable polyethylene
- US Pat. No.: 7,121,498 Canadian Pat. No.: 2,198,678
- Fits all 1" line cores from 4"- 6" long
- Line secures in convenient notch
- Reload rolls of line easily
- Rewind hand crank (or automatic rewind using power screwdriver in slot in bottom of handle)



Line levels available separately

MASON LINE

LEVEL WIZ - PRO REEL with Precision Line Level stored right on the handle

Item #	Length	Color	Description	Master Pack	Item #	Length	Color	Description	Master Pack
24106	270 Ft.	Fl. Orange	#18 Twisted	48	24162	250 Ft.	Fl. Pink	#18 Braided	48
24406	540 Ft.	Fl. Orange	#18 Twisted	48	24462	500 Ft.	Fl. Pink	#18 Braided	48
24927	Precision level 2 pack			10					



Line Bone
• Set a level course for hollow brick



Line Block
• Set a level course for walls/corners



Ground Stakes



MASONRY ACCESSORIES

Item #	Description	Item #	Description
25940	Line Bone (2 pack)	19941CD	11" Ground Stake (24 ct. case display)
25943	4" Wood Line Block (2 pack)	19946CD	16" Ground Stake (12 ct. case display)

HOW TO USE THE LINE BONE


Follow these easy steps for using the unique *Line Bone* to help set a level course of hollow block masonry. You can see a short demonstration video on our website:

www.ustape.com


1. Attach the end of the string securely to the knob on top of the Line Bone.



2. Position one Line Bone at your starting block, as shown. Bring your line down to your ending block.



3. Position the second Line Bone as shown and secure your line to the knob on top of the Bone.



STRINGLINER ORIGINAL REELS



- Line reel handle made of durable polyethylene
- Quality #18 Twisted or Braided nylon line
- Large selection of colors
- Line secures in convenient notch
- * **Black/White line is Bonded**
(coated for added durability, UV, water, and wear resistance)



NYLON LINE

Item #	Length	Color	Description	Master Pack	Item #	Length	Color	Description	Master Pack
11100	100 Ft.	Gold	#18 Twisted	48	11150	100 Ft.	Yellow	#18 Braided	48
11103	100 Ft.	White	#18 Twisted	48	11153	100 Ft.	White	#18 Braided	48
11106	100 Ft.	Fl. Orange	#18 Twisted	48	11156	100 Ft.	Green	#18 Braided	48
11109	100 Ft.	Fl. Pink	#18 Twisted	48	11159	100 Ft.	Fl. Orange	#18 Braided	48
11112	100 Ft.	Fl. Yellow	#18 Twisted	48	11162	100 Ft.	Fl. Pink	#18 Braided	48
11115	100 Ft.	Fl. Green	#18 Twisted	48	11165	100 Ft.	Fl. Yellow	#18 Braided	48
					11168	100 Ft.	Fl. Green	#18 Braided	48
					11190	100 Ft.	Black/White*	#18 Braided	48
11400	270 Ft.	Gold	#18 Twisted	48	11450	250 Ft.	Yellow	#18 Braided	48
11403	270 Ft.	White	#18 Twisted	48	11453	250 Ft.	White	#18 Braided	48
11406	270 Ft.	Fl. Orange	#18 Twisted	48	11456	250 Ft.	Green	#18 Braided	48
11409	270 Ft.	Fl. Pink	#18 Twisted	48	11459	250 Ft.	Fl. Orange	#18 Braided	48
11412	270 Ft.	Fl. Yellow	#18 Twisted	48	11462	250 Ft.	Fl. Pink	#18 Braided	48
11415	270 Ft.	Fl. Green	#18 Twisted	48	11465	250 Ft.	Fl. Yellow	#18 Braided	48
					11468	250 Ft.	Fl. Green	#18 Braided	48
					11490	250 Ft.	Black/White*	#18 Braided	48
11700	500 Ft.	Gold	#18 Twisted	48	11750	500 Ft.	Yellow	#18 Braided	48
11703	500 Ft.	White	#18 Twisted	48	11753	500 Ft.	White	#18 Braided	48
11706	500 Ft.	Fl. Orange	#18 Twisted	48	11756	500 Ft.	Green	#18 Braided	48
11709	500 Ft.	Fl. Pink	#18 Twisted	48	11759	500 Ft.	Fl. Orange	#18 Braided	48
11712	500 Ft.	Fl. Yellow	#18 Twisted	48	11762	500 Ft.	Fl. Pink	#18 Braided	48
11715	500 Ft.	Fl. Green	#18 Twisted	48	11765	500 Ft.	Fl. Yellow	#18 Braided	48
					11768	500 Ft.	Fl. Green	#18 Braided	48
					11790	500 Ft.	Black/White*	#18 Braided	48

MASON LINE

Wide variety of Gauging Tapes:

- Plated, Double Duty, and Derrick Tapes (Made in USA)
- Black Etched and Etched Stainless

Meets or exceeds American Petroleum Institute (API) Standard 2545 and American Society for Testing and Materials (ASTM) Standard D1085

NIST Certification available

Oil Gauge Frames:

- Strong and durable
- Corrosion resistant
- Safety yellow handle with grounding wire (oil gauge)
- Longer crank arm to speed retraction

(Plated and Double Duty 75' and shorter complete tapes are housed in small frame.

All Black Etched and Stainless complete tapes are housed in small frame.)

Blades:

- New coating on blades helps reduce the wear caused by harsh chemicals
- Variety of blade materials, graduations, and lengths
- Refill blades are compatible with competitors frames
- 3 rivet end assembly for dependability and durability



OIL GAUGE

HOW TO CHANGE THE BLADE ON AN OIL GAUGE TAPE

Our refill blades are wound in the opposite direction than our competitor's blades, allowing for a quick changeout!

1. Turn the crank handle counter-clockwise and remove it from the frame.



2. Slide out the center hub holding the old tape blade and remove the tape blade from the hub.



3. Slide the new refill blade into the hub and insert the whole unit back into the frame. Put the crank handle back into the frame, turning it clockwise until snug.

4. Remove the adhesive tape from the refill blade, and the gauging tape is now ready to use.





PLATED for Dark Liquids; Corrosion Resistant; Made in USA

Item #	Length	Print Scale	Item #	Length	Print Scale
INNAGE COMPLETE TAPES			INNAGE REFILL BLADES		
58811	1/2" x 18'	Ft/In/8ths	58911	1/2" x 18'	Ft/In/8ths
58813	1/2" x 25'	Ft/In/8ths	58913	1/2" x 25'	Ft/In/8ths
58815	1/2" x 33'	Ft/In/8ths	58915	1/2" x 33'	Ft/In/8ths
58819	1/2" x 50'	Ft/In/8ths	58919	1/2" x 50'	Ft/In/8ths
58821	1/2" x 66'	Ft/In/8ths	58921	1/2" x 66'	Ft/In/8ths
58823	1/2" x 75'	Ft/In/8ths	58923	1/2" x 75'	Ft/In/8ths
58825	1/2" x 100'	Ft/In/8ths	58925	1/2" x 100'	Ft/In/8ths
58833	1/2" x 66'	Ft/10ths	58933	1/2" x 66'	Ft/10ths
58828	1/2" x 75'	Ft/10ths	58931	1/2" x 75'	Ft/10ths
58829	1/2" x 100'	Ft/10ths	58929	1/2" x 100'	Ft/10ths
58835	1/2" x 66'	Ft/In/16ths	58935	1/2" x 66'	Ft/In/16ths
58837	1/2" x 100'	Ft/In/16ths	58937	1/2" x 100'	Ft/In/16ths
OUTAGE COMPLETE TAPES			OUTAGE REFILL BLADES		
59011	1/2" x 18'	Ft/In/8ths	59111	1/2" x 18'	Ft/In/8ths
59013	1/2" x 25'	Ft/In/8ths	59113	1/2" x 25'	Ft/In/8ths
59015	1/2" x 33'	Ft/In/8ths	59115	1/2" x 33'	Ft/In/8ths
59019	1/2" x 50'	Ft/In/8ths	59119	1/2" x 50'	Ft/In/8ths
59021	1/2" x 66'	Ft/In/8ths	59121	1/2" x 66'	Ft/In/8ths
59023	1/2" x 75'	Ft/In/8ths	59123	1/2" x 75'	Ft/In/8ths
59025	1/2" x 100'	Ft/In/8ths	59125	1/2" x 100'	Ft/In/8ths
59029	1/2" x 100'	Ft/10ths	59129	1/2" x 100'	Ft/10ths



DOUBLE DUTY for Dark & Light Liquids; Made in USA

Item #	Length	Print Scale	Item #	Length	Print Scale
INNAGE COMPLETE TAPES			INNAGE REFILL BLADES		
58812	1/2" x 18'	Ft/In/8ths	58912	1/2" x 18'	Ft/In/8ths
58814	1/2" x 25'	Ft/In/8ths	58914	1/2" x 25'	Ft/In/8ths
58816	1/2" x 33'	Ft/In/8ths	58916	1/2" x 33'	Ft/In/8ths
58820	1/2" x 50'	Ft/In/8ths	58920	1/2" x 50'	Ft/In/8ths
58822	1/2" x 66'	Ft/In/8ths	58922	1/2" x 66'	Ft/In/8ths
58824	1/2" x 75'	Ft/In/8ths	58924	1/2" x 75'	Ft/In/8ths
58826	1/2" x 100'	Ft/In/8ths	58926	1/2" x 100'	Ft/In/8ths
58846	1/2" x 25'/7.5m	Ft/In/16ths/m/cm/mm	58946	1/2" x 25'/7.5m	Ft/In/16ths/m/cm/mm
58848	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm			
58850	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm	58950	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm
58853	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm	58953	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm
58854	1/2" x 75'/23m	Ft/In/16ths/m/cm/mm	58954	1/2" x 75'/23m	Ft/In/16ths/m/cm/mm
58856	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm	58956	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm
OUTAGE COMPLETE TAPES			OUTAGE REFILL BLADES		
59012	1/2" x 18'	Ft/In/8ths	59112	1/2" x 18'	Ft/In/8ths
59014	1/2" x 25'	Ft/In/8ths	59114	1/2" x 25'	Ft/In/8ths
59016	1/2" x 33'	Ft/In/8ths	59116	1/2" x 33'	Ft/In/8ths
59020	1/2" x 50'	Ft/In/8ths	59120	1/2" x 50'	Ft/In/8ths
59022	1/2" x 66'	Ft/In/8ths	59122	1/2" x 66'	Ft/In/8ths
59024	1/2" x 75'	Ft/In/8ths	59124	1/2" x 75'	Ft/In/8ths
59026	1/2" x 100'	Ft/In/8ths	59126	1/2" x 100'	Ft/In/8ths

OIL GAUGE



BLACK ETCHED for Light or Clear Liquids; all sizes small frame

Item #	Length	Print Scale	Item #	Length	Print Scale
INNAGE COMPLETE TAPES			INNAGE REFILL BLADES		
59246	1/2" x 25'/7.5m	Ft/In/16ths/m/cm/mm	59346	1/2" x 25'/7.5m	Ft/In/16ths/m/cm/mm
59257	1/2" x 33'	Ft/In/16ths	59357	1/2" x 33'	Ft/In/16ths
59247	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm	59347	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm
59249	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm	59349	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm
59251	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm	59351	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm
59255	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm	59355	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm
OUTAGE COMPLETE TAPES			OUTAGE REFILL BLADES		
59457	1/2" x 33'	Ft/In/16ths	59557	1/2" x 33'	Ft/In/16ths
59447	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm	59547	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm
59449	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm	59549	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm
59451	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm	59551	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm
59455	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm	59555	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm




ETCHED STAINLESS STEEL for All Liquids; all sizes small frame

Item #	Length	Print Scale	Item #	Length	Print Scale
INNAGE COMPLETE TAPES			INNAGE REFILL BLADES		
62457	1/2" x 33'	Ft/In/16ths	62557	1/2" x 33'	Ft/In/16ths
62447	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm	62547	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm
62449	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm	62549	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm
62451	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm	62551	1/2" x 66'/20m	Ft/In/16ths/m/cm/mm
62452	1/2" x 75'/23m	Ft/In/16ths/m/cm/mm	62554	1/2" x 75'/23m	Ft/In/16ths/m/cm/mm
62453	1/2" x 82'/25m	Ft/In/16ths/m/cm/mm	62553	1/2" x 82'/25m	Ft/In/16ths/m/cm/mm
62455	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm	62555	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm
OUTAGE COMPLETE TAPES			OUTAGE REFILL BLADES		
62657	1/2" x 33'	Ft/In/16ths	62857	1/2" x 33'	Ft/In/16ths
62647	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm	62847	1/2" x 33'/10m	Ft/In/16ths/m/cm/mm
62649	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm	62849	1/2" x 50'/15m	Ft/In/16ths/m/cm/mm
62655	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm	62855	1/2" x 100'/30m	Ft/In/16ths/m/cm/mm

GAUGING TAPE KITS

Item #	Length	Description	Print Scale
58801	1/2" x 25'	Double Duty Kit: Includes Tape, Line Wiper, & Graduated Plumb Bob	Ft/In/8ths
58803	1/2" x 33'	Double Duty Kit: Includes Tape, Line Wiper, & Graduated Plumb Bob	Ft/In/8ths
58804	1/2" x 33'	Stainless Steel Kit: Includes Tape, Line Wiper, & Graduated Plumb Bob	Ft/In/16ths

OIL GAUGE



DERRICK & STRAPPING TAPES; Made in USA

Item #	Length	Description	Item #	Length	Description
COMPLETE TAPES			REFILL BLADES		
59625	1/4" x 100'	Derrick Tape - Ft/10ths/100ths	59725	1/4" x 100'	Derrick Refill - Ft/10ths/100ths
59630	1/4" x 30m	Derrick Tape - m/cm/mm	59730	1/4" x 30m	Derrick Refill - m/cm/mm
59650	1/4" x 100'	Strapping Tape - Ft/10ths/100ths	59750	1/4" x 100'	Strapping Refill - Ft/10ths/100ths



Plumb Bobs



Innage Rubber Tip Outage

Large frame



Small frame



Line wiper

OIL GAUGE

PLUMB BOBS & ACCESSORIES

Item #	Description
58883	6" Hollow plumb bob with Thermometer; graduated in 1", 1/4"; <i>brass</i>
58885	20 oz. Innage graduated plumb bob with Rubber Tip; <i>brass</i>
58887	20 oz. Innage Non-graduated plumb bob; <i>brass</i>
58888	20 oz. Innage English/Metric graduated plumb bob; <i>brass</i>
58890	20.48 oz. Innage English/Metric graduated plumb bob; <i>stainless steel</i>
58891	20 oz. Innage Metric (cm/mm) graduated plumb bob; <i>brass</i>
58892	23 oz. 12" Outage English graduated plumb bob
58893	16 oz. Outage Decimal (10ths) graduated plumb bob; <i>brass</i>
58894	20 oz. Innage Decimal (10ths) graduated plumb bob; <i>brass</i>
58898	16 oz. Outage plumb bob, graduated; <i>brass</i>
58899	20 oz. Innage plumb bob, graduated; <i>brass</i>
58875	Rubber Tip replacement for 58885
58877	Line Wiper
58878	Wiper replacement parts set; 2 rubber cylinders, 2 screws, 2 nuts
63004	Derrick X frame assembly
63005	Grounding wire handle and clip
63007	Small oil gauge frame assembly
63011	Large oil gauge frame assembly
63041	Grounding wire and clip alone



• SINCE 1980 •
HAND CRAFTED IN THE USA

Check out our Occidental products by visiting:
www.occidentalleather.com



Check out our line of KAPRO levels and lasers:
www.ustape.com

U.S. TAPE Company

2452 Quakertown Road, Suite 300
Pennsburg, PA 18073

Tel: 215-541-1850

Fax: 215-541-1760

General Inquiries Email: info@ustape.com

Order Inquiries Email: orders@ustape.com

Web: www.ustape.com

www.stringliner.com

www.oilgaugingtapes.com

Not responsible for typographical errors.